

официални преводи СКРИПТА МАНЕНТ ЕООД  
 див 4003, ул. Сливница 6, ет.5, офис 8 - Централен офис  
 953 232; 0878 586 596; e-mail: scriпта.info@gmail.com  
 . Волга 49, 032/640 740; 0878 807 506; e-mail: scriпта@abv.bg

Translation agency SCRIPТА MANENT EOOD  
 Bulgaria, Plovdiv 4003, 6 Slivnitsa St., fl.5, office 8 - Head Office  
 +359 32 953 232; +359 878 586 596; e-mail: scriпта.info@gmail.com  
 49 Volga St. / +359 32 640 740; +359 878 807 506; e-mail: scriпта@abv.bg



www.scriпта.com

*Translation from the Bulgarian language*

**LABORATORY AND CONSULTATIVE CENTER FOR FOOD SAFETY PREVENTION AND TRAINING**

Tsaratsovo village, Maritsa municipality, district of Plovdiv, Yurtovi area  
 Tel. +359 3127 22 00, mobile +359 878 277 077, +359 878 333 433, +359 877 835 187 - serology  
 www.alimenti.omnilab.com, www.omnilab-bg.com, e-mail: alimenti@abv.bg, omnilab@abv.bg

ESD 7.8-1

**TEST LABORATORY "ALIMENTI-OMNILAB"  
 AT D & V CONSULT LTD**

Accreditation certificate No 223 LI / 18.10.2022 valid until 17.06.2025, issued by the Bulgarian accreditation service executive agency according to the requirements of BDS EN ISO / IEC 17025:2018

**TEST PROTOCOL  
 No 23443 / 05.05.2023**

**1. Internal Ref. No, group and name of the product, lot No, production date**  
 Ref No 39546, GROUP: HONEY AND BEE PRODUCTS, SAMPLE: honey – L RO- DN1; production date: 2022

**2. Test applicant – name and address, Application No / Sampling Act/ Cover Letter**  
 Bee Smart Technologies AD  
 FK 7.4-1 Request No - / 26.04.2023

**3. Test method /name and number of the standards or the validated methods/**  
 Antibiotics and sulfonamides and suppressants – VLM-MB-08:2021  
 Water content – Ordinance 48/2003 item 3  
 Diastase activity – BDS 3050:1980 item 2.8  
 Demonstration of commercial glucose impurities – BDS 3050:1980 item 2.10  
 Electrical conductivity – Ordinance 48/2003 item 5  
 Pollen analysis - BDS 3050:1980 item 2.11  
 Content of reducing sugars - BDS 3050:1980 item 2.3  
 Hydroxymethylfurfural content (HMF) - BDS 3050:1980 item 2.9

**4. Sample type of packaging and quantity**  
 Ref. No. 39546 – jar – 1 x 0,400 kg

**5. Date and time of sample acceptance**  
 26.04.2023, 14:48 h

**6. Date/ period of testing**  
 26.04.2023 – 04.05.2023

**7. Samples taken by Bee Smart Technologies AD**

**8. Test results**

No	INDEX	Unit	Standard/ certified methods	Sample Ref. No.	Test results (value, indetermination)	Index values and allowance	Test conditions
1	2	3	4	5	6	7	8
1	Antibiotics and sulfonamides and suppressants	Detected/ not detected	VLM-MB-08:2021	39546	Not detected	Not detected	t=37°C and t=41.5°C, humidity 40÷50%
2	Water content	% of total mass	Ordinance 48/2003 item 3	39546	20.20	-	t=20÷25°C, humidity 35÷40%

	Diastase activity	Gote units	BDS 3050:1980 item 2.8	39546	31.25	-	t=20±25°C, humidity 35±40%
	Demonstration of commercial glucose impurities	Presence/ Absence	BDS 3050:1980 item 2.10	39546	Absence	-	t=20±25°C, humidity 35±40%
5	Electrical conductivity	mS/cm	Ordinance 48/2003 item 5	39546	0.60	-	t=20±25°C, humidity 35±40%
6	Pollen analysis	Sensory analysis	BDS 3050:1980 item 2.11	39546	Normal according to Appendix No. 1	-	t=20±25°C, humidity 35±40%
7	Content of reducing sugars	% of total mass	BDS 3050:1980 item 2.3	39546	73.30	-	t=20±25°C, humidity 35±40%
8	Hydroxymethylfurfural content (HMF)	mg/kg	BDS 3050:1980 item 2.9	39546	<3,00	-	t=20±25°C, humidity 35±40%

Tests carried out by: M06, F12

NOTE I:

The laboratory does not declare compliance and does not report opinions and interpretations.

NOTE II:

The test results are valid only for the tested samples. The test protocol cannot be copied without the written consent of the head of the laboratory and only in full.

NOTE III:

Addition to point 2: The laboratory does not confirm the truthfulness of the information submitted by the applicant with the cover letter.

NOTE IV:

Addition to point 7: The customer has performed the sampling and the laboratory is not responsible for the representativeness of the sample.

**Head of the Laboratory: Milena Cholakova, dipl. eng. /signature//seal/**

No

1

1

2

Appendix No. 1 to Test protocol No. 23443/ 05.05.2023

8.1. Tests within the accreditation range:

Indicators Sample No.	Pollen analysis %
No.39546 bee honey and bee products Honey L RO-DN1	<b>Asteraceae – Sunflower – 52.40</b> Tiliaceae – Tilia – 6.70 Fabaceae - 6.20 Oleaceae – 4.90 Brassicaceae – 4.50 Plantaginaceae – 3.10 Asteraceae – 2.70 Cornaceae – 2.20 Rosaceae – 2.20 Fabaceae - Acacia- 1.00 Other – 14.10

Appendix No. 1 to Test protocol No. 23443/ 05.05.2023

I, the undersigned Iva Stanislavova Todorova, hereby certify that the above is a true and complete translation from the Bulgarian language into the English language of the attached document – a test protocol. The translation consists of three pages.

Translator:

Iva Stanislavova Todorova

